

Smart Eco Equipment Package

Hayward Cartridge C200S
Hayward MaxFlo VS500
Hayward Salt Chlorinator
with Smart System
Hayward Three Way Valve
Hayward Check Valve



MaxFlo® VS 500

Variable-Speed Pump

DURABLE DESIGN, SUPERIOR SAVINGS







Intuitive control pad can be rotated

in four directions on the pump or

removed and wall mounted

Upgraded dual-voltage

than other models

motor drive delivers 30%



See-through strainer cover

lets you see when the basket needs cleaning

1 1/2" x 2" union connections

allow for seamless installation in any application

Advanced hydraulic design

offers increased efficiency and incredibly quiet operation, especially at lower speeds



UNRIVALED RELIABILITY

A chemical-resistant Viton® seal and a 3-year warranty mean MaxFlo VS 500 will provide years of powerful performance.



ENERGY-EFFICIENT DESIGN

With a super-efficient permanent magnet totally enclosed fan-cooled motor, MaxFlo VS 500 provides up to 80% energy savings over singlespeed pumps and pays for itself faster than larger, more expensive models. Its ENERGY STAR® rating means local energy rebates may apply, too.



EXPERT LINE

UNIVERSAL COMPATIBILITY

Built with dual-voltage capability, MaxFlo VS 500 is an easy, drop-in upgrade that can operate in standalone mode or connect to any automation system, either directly or with relays.




CDI	-011		Λ TIO	NIC
261	-611	-16 <i>i</i>	OIT <i>P</i>	GVI


MODEL NUMBER	TOTAL HP	VOLTAGE	WEIGHTED ENERGY FACTOR (WEF)*	UNION CONNECTIONS	WARRANTY
SP23520VSP	1.65	115/230V	10.7/10.2	1.5" X 2"	3 years**

^{*}The higher the weighted energy factor (WEF), the more efficient the pump. Visit hayward.com/regulations for more information.

MAXFLOW VS 500 DIMENSIONS (INCHES)



MAXFLO VS 500 PERFORMANCE COMPARISON



^{**}When sold by a Totally Hayward® partner. Exclusions, other terms and conditions may apply — visit hayward.com/expert for details.

» hayward.com » 1-888-HAYWARD

Pumps » Filters » Heaters » Sanitization » Automation » Lighting » Water Features » Cleaners » Safety





SwimClear™

Single-Element Cartridge Filters

LOWEST IN HEAD LOSS, **HIGHEST IN EFFICIENCY**









INCOMPARABLE EFFICIENCY

SwimClear[™] filters are simply the most efficient singleelement cartridge filters ever produced. Designed for greater hydraulic efficiency, they boast the industry's lowest head loss—saving pool owners more energy and money.



QUICK & EASY MAINTENANCE

A recessed pressure gauge and manual air relief allow for easy access to SwimClear's head assembly while also sealing the filter against contamination.

And with the lowest body height on the market, cleaning and changing filter cartridges is easier than ever.



SIMPLE INSTALLATION

With 2" x 2½" union connections, SwimClear is quick and easy to retrofit in virtually any application. An Easy-Lok™ ring design and ergonomic handles offer confident filter handling while preventing contact with fiberglass-based surfaces.

SWIMCLEAR CARTRIDGE FILTERS

Filter Type	Cartridge element: 100 ft; 150 ft; 200 ft² (9.29 m; 13.94 m; 18.58 m²)
Filter Tank	High-strength, injection-molded, glass-reinforced copolymer
Filter Element	Reinforced polyester
Performance Range	100 to 120 GPM, 379 to 455 LPM
Union Connections	2" x 2 ½"
Dimensions	C100S: 30½" H x 18¼ W" [775 mm x 464 mm]**
	C150S: 33¾" H x 18¼ W" [857 mm x 464 mm]**
	C200S: 38¾" H x 18¼ W" [984 mm x 464 mm]**




FILTER PERFORMANCE DATA

EFFECTIVE FILTRATION AREA		DESIGN FLOW	TURNOVER		CLEARANCE FOR	CTN.	
			RATE***	8 HOURS	10 HOURS	HEAD REMOVAL	WEIGHT
	C100S	100 ft ² / 9.29 m ²	100 GPM / 379 LPM	48,000 gal / 182 kl	60,000 gal / 227 kl	12"	33 lbs.
Residential C150S C200S	C150S	150 ft² / 13.94 m²	120 GPM / 455 LPM	57,600 gal / 218 kl	72,000 gal / 273 kl	15"	37 lbs.
	C200S	200 ft ² / 18.58 m ²	120 GPM / 455 LPM	57,600 gal / 218 kl	72,000 gal / 273 kl	18"	40 lbs.
Public C1509	C100S	100 ft ² / 9.29 m ²	38 GPM / 142 LPM	18,240 gal / 68 kl	22,800 gal / 85 kl	12"	33 lbs.
	C150S	150 ft² / 13.94 m²	56 GPM / 213 LPM	26,880 gal / 102 kl	33,600 gal / 128 kl	15"	37 lbs.
	C200S	200 ft ² / 18.58 m ²	75 GPM / 284 LPM	36,000 gal / 136 kl	45,000 gal / 170 kl	18"	40 lbs.

» hayward.com » 1-888-HAYWARD

SwimClear Filters are listed by:







^{*}When sold by a Totally Hayward® partner. Exclusions, other terms and conditions may apply — visit hayward.com/expert for details.

**Based on NSF recommended rate for commercial use at .375 GPM/ft²

***Determined by pump size and piping system hydraulics; 2" piping is recommended for flow rates equal to or greater than 90 GPM [341 LPM]. Hayward doesn't recommend flow rates above 150 GPM.



AquaRite® S3

»»» Salt Chlorination Systems with Pool Control

»»» Systèmes de chloration au sel avec système de commande de piscine SUPERIOR SALT CHLORINATION
WITH BUILT-IN POOL CONTROL
CHLORATION AU SEL SUPÉRIEURE AVEC
SYSTÈME DE COMMANDE DE PISCINE INTÉGRÉ







SALT CHLORINATION PLUS BUILT-IN CONTROL: THE SMARTEST WAY TO UPGRADE. CHLORATION AU SEL ET SYSTÈME DE COMMANDE INTÉGRÉ : LA MISE À NIVEAU LA PLUS JUDICIEUSE.



START WITH SUPERIOR SALT WATER

AquaRite S3 automatically converts dissolved salt into a virtually endless supply of chlorine for perfectly sanitized pool water. Experience softer, silkier pool water that won't irritate eyes, dry out skin or fade fabrics—all while reducing chlorine costs by up to 50%.

Le système AquaRite S3 convertit automatiquement le sel dissout en une source presque inépuisable de chlore pour une eau de piscine parfaitement bien assainie. Profitez d'une eau plus douce, plus soyeuse qui n'irrite pas les yeux, n'assèche pas la peau et ne décolore pas les tissus, et ce, tout en réduisant jusqu'à 50 % les coûts d'achat de chlore.



CHOOSE THE LEVEL OF POOL & SPA CONTROL

AquaRite S3 offers basic control over salt chlorination, a heater and a variable-speed pump. AquaRite S3 Omni® gives you advanced control over pool and spa elements like water features, lights, cleaners and more from anywhere with the intuitive OmniLogic® app.

Le système AquaRite S3 offre un contrôle de base de la chloration au sel, d'un chauffe-eau et d'une pompe à vitesse variable. Le système AquaRite S3 Omni^{MD}, quant à lui, vous donne un contrôle avancé des éléments du spa et de la piscine comme les aménagements aquatiques, le système d'éclairage, le nettoyeur et bien plus encore, et ce, où que vous soyez grâce à l'application intuitive OmniLogic^{MD}.



ADD ON ACCESSORIES (ANY TIME YOU WANT)

When you start with AquaRite S3, what you create is up to you. The system can be built upon at any time with easy-to-add accessories from smart relays to pH sensing to WiFi connectivity and more

Lorsque vous commencez par le système AquaRite S3, vous créez ce qui vous convient. Il est toujours possible de le mettre à niveau grâce à des accessoires faciles à ajouter, comme des relais intelligents, un capteur de pH, une connectivité Wi-Fi et bien plus encore.



AQUARITE S3

Superior salt chlorination plus control of chlorine output, a heater and a variable-speed pump via the convenient onunit display, with the ability to upgrade to Omni if desired [AQRS30MNIKIT].



Alexa^{MD} d'Amazon^{MD} et Google Home^{MD}.

AQUARITE S3 OMNI

Superior salt chlorination plus full control of virtually any pool feature via the Omni control panel, the OmniLogic app and voice control devices including Amazon® Alexa® and Google Home®.

Chloration au sel supérieure avec un contrôle de la quantité de chlore produite, d'un chauffe-eau et d'une pompe à vitesse variable grâce à un écran pratique sur l'appareil et la possibilité d'une mise à niveau à Omni, si vous le désirez (AQRS30MNIKIT).



Features a clear cell for easy inspection Doté d'une cellule transparente pour une inspection facile



Features a clear cell for easy inspection
Doté d'une cellule transparente pour une inspection facile

Chloration au sel supérieure avec contrôle complet de presque tous

les aménagements de piscine grâce au panneau de commande Omni,

à l'application OmniLogic et aux appareils de commande vocale, dont

AQUARITE S3 SALT SYSTEMS AND PARTS

PART NUMBER	DESCRIPTION
AQRS315	AquaRite S3 Salt System 15,000-gallon
AQRS325	AquaRite S3 Salt System 25,000-gallon
AQRS340	AquaRite S3 Salt System 40,000-gallon
AQRS3250MNI*	AquaRite S3 Omni Salt System 25,000-gallon
AQRS3400MNI*	AquaRite S3 Omni Salt System 40,000-gallon
AQRS3250MNI*	AquaRite S3 Omni Salt System 25,000-gallon

PART NUMBER	DESCRIPTION
AQRS30MNIKIT*	AquaRite S3 Omni Upgrade Kit
TCELLS315	TurboCell® S3 Salt Cell 15,000-gallon
TCELLS325	TurboCell S3 Salt Cell 25,000-gallon
TCELLS340	TurboCell S3 Salt Cell 40,000-gallon
TCELLS340X25	TurboCell S3 Salt Cell 40,000-gallon 25ft. cord

» haywardpool.ca » 1-888-238-7665

Pumps » Filters » Heaters » Cleaners » Sanitization » Automation » Lighting » Water Features » White Goods

Phone not included with AquaRite S3.

Hayward, Hayward & Design, the H logo, AquaRite, Expert Line, Omni, OmniLogic, Totally Hayward and TurboCell are registered trademarks and We Build Better is a trademark of Hayward Canada and Hayward Industries, Inc. Google Home® is a trademark of Google, LLC, Amazon® and Alexa® are trademarks of Amazon Technologies, Inc. Neither of these companies are affiliated with Hayward Industries, Inc. nor endorse this product. © 2021 Hayward Industries, Inc.



^{*}Coming spring 2021.